



















Disabling Pop-up Blockers


1.	<p>Decision: The process to disable pop-up blockers depends on your browser:</p> <ul style="list-style-type: none">• Internet Explorer (6 or 7) Go to step 2 on page 1• Mozilla Firefox Go to step 12 on page 2• Mac -- Mozilla Firefox Go to step 22 on page 3• Mac -- Safari Go to step 30 on page 3
2.	<p>To disable pop-ups for Internet Explorer 6 or 7, open any website.</p> <p>This demonstration will use the Office of University Controller (OUC) website: www.cu.edu/controller.</p>
3.	<p>Click Tools...</p> 
4.	<p>...then Internet Options.</p> 
5.	<p>Click the Privacy tab.</p> 
6.	<p>Click Settings in the POP-UP BLOCKER section.</p> 
7.	<p>Enter the website address you want to allow pop-ups from in the Address of website to allow field. It is not necessary to type the "http://" or "https://" to the beginning of the address.</p> <p>Which websites should be allowed?</p> <ul style="list-style-type: none">-- *.cu.edu-- *.cusys.edu <p>The "*" acts as a wildcard, thereby allowing any site with cu.edu or cusys.edu in the web address.</p>
8.	<p>Click Add.</p> <p>Repeat the previous step and this step to add any desired additional allowed sites.</p> 

9.	Click Close . 
10.	Click OK in the INTERNET OPTIONS window. 
11.	End of Procedure. Remaining steps apply to other paths.
12.	To disable pop-ups for Mozilla Firefox, open any website. This demonstration will use the Office of University Controller (OUC) website: www.cu.edu/controller .
13.	Click Tools...
14.	...then Options...
15.	Click the Content list item. 
16.	Click the first Exceptions... button, to the right of the Block pop-up windows checkbox. 
17.	Enter the website address you want to allow pop-ups from in the Address of web site field. It is not necessary to type the "http://" or "https://" to the beginning of the address. Which websites should be allowed? <ul style="list-style-type: none"> -- *.cu.edu -- *.cusys.edu The "*" acts as a wildcard, thereby allowing any site with cu.edu or cusys.edu in the web address.
18.	Click Allow . Repeat the previous step and this step to add any desired additional allowed sites. 
19.	Click Close . Click the toolbar. 
20.	Click OK in the OPTIONS window. 
21.	End of Procedure. Remaining steps apply to other paths.

22.	<p>To disable pop-ups for Mozilla Firefox on your Mac computer, open any website.</p> <p>This demonstration will use the Office of University Controller (OUC) website: www.cu.edu/controller.</p>
23.	Click Firefox...
24.	... then Preferences...
25.	<p>On the CONTENT page, click the first Exceptions... button (to the right of the Block pop-up windows checkbox).</p> 
26.	<p>Enter the website address you want to allow pop-ups from in the Address of web site field. It is not necessary to type the "http://" or "https://" to the beginning of the address.</p> <p>Which websites should be allowed?</p> <ul style="list-style-type: none"> -- www.cu.edu -- www.cusys.edu
27.	<p>Click Allow.</p> <p>Repeat the previous step and this step to add any desired additional allowed sites.</p> 
28.	<p>Click Close (red circle in upper left corner of the ALLOWED SITES - POPUPS window).</p> 
29.	End of Procedure. Remaining steps apply to other paths.
30.	<p>To disable pop-ups for Safari on your Mac computer, open any website.</p> <p>This demonstration will use the Office of University Controller (OUC) website: www.cu.edu/controller.</p>
31.	<p>Click Safari...</p> 
32.	<p>... then Preferences...</p> 
33.	<p>On the SECURITY page, uncheck Block pop-up windows checkbox.</p> 

Quick-Step Guide

General

34.	Click Close (red circle in upper left corner of the SECURITY window). 
35.	End of Procedure.