# IBM Cognos Analytics 11.1.4 - Fix List

| Component | APAR | Description |
|---|---|---|
| General Product | PH18443 | CONTENT LANGUAGE IS COMING EMPTY IF EMBEDDED_CONTENT/PRELOGINSAMPLE.HTML HAS BEEN ACCESSED IN ANOTHER WEB BROWSER |
| | PH17928 | ORA-00932: INCONSISTENT DATATYPES: EXPECTED NUMBER GOT DATE |
| | PH16712 | UNABLE TO USE CAST TO CONVERT A TIMESTAMP TO DATE IN GOOGLE BIGQUERY |
| | PH16504 | ENABLE CAST OF TIMESTAMP TO A DATE IN BIGQUERY TO REDUCE DECOMPOSITION |
| | PH16493 | UPGRADING FROM 11.0.11 TO 11.1.3 TURNS BACK PROMPT ME OPTION ON |
| | PH16454 | XQE-PLN-0248 ERROR OCCURS IN A REPORT USING COUNT DISTINCT ON THE ON-DEMAND TOOLBAR |
| | PH16333 | INVALID USE OF KEYWORD DISTINCT Against DB2 |
| | PH16277 | DATA MODULE BASED DASHBOARD FAILS WITH ERROR 'V5 SYNTAX ERROR FOUND IN EXPRESSION' WHEN ADDING FILTER ON CHARACTER DATA |
| | PH16215 | RE-WRITE LITERAL USING EMBEDDED QUOTE SO THAT BIGQUERY WILL ACCEPT IT VS PARSER ERRORS THEIR DRIVER/SERVER THROW |
| | PH16164 | APPLYING CUSTOM FILTER WITH TIMESTAMP IS CAUSING LOCAL PROCESSING WITH GOOGLE BIGQUERY |
| | PH16022 | QUERY SERVICE RUNS OUT OF MEMORY WHILE EXECUTING THE PREDICT QUERY. |
| | PH15672 | DEFINED A CONCATENATION WHICH DQM IS PUSHING TO GOOGLE BIGQUERY, THE DB VENDOR REJECTS THE EXPRESSION |
| | PH15670 | Reduce query decomposition for BigQuery for CAST ( as VARCHAR(n)) expressions |
| | PH15668 | GOOGLE BIGQUERY'S NUMERIC TYPES DOES NOT WORK WITH CAST FUNCTION DUE TO DQM IS SETTING WITH DECIMAL IS OFF. |
| | PH15539 | RUN AS' AND 'NEW JOB' PANELS ARE EMPTY IF EMBEDDED_CONTENT/PRELOGINSAMPLE.HTML HAS BEEN ACCESSED IN ANOTHER WEB BROWSER TAB |
| | PH15371 | ADDING A ROLE TO A CUSTOM FOLDER IN CUSTOMIZATION WILL CAUSE A VERY SLOW LOGIN PROCESS |

| Component | APAR | Description |
|---|---|---|
| | PH15235 | ERROR IN REPORT AFTER MIGRATING FROM CA 11.0.13 TO CA 11.1.3 |
| | PH15213 | XQE-PLN-0098 USING MONTH FUNCTION IN FILTER AGAINST SQLSERVER AND DQM |
| | PH15189 | CALCULATION USING A CASE STATEMENT WITH AGGREGATE MINIMUM ONLY RETURNS 1 VALUE IN LIST VISUALIZATION |
| | PH15144 | XQE-GEN-0005 NULLPOINTEREXCEPTION ERROR WHEN ITEMS HAVE DETAIL AGGREGATION = NOT APPLICABLE |
| | PH15064 | REPORT PRODUCE A CROSS JOIN IF  A DATA MODULE IS USED WITH A PACKAGE AND UPLOADED FILE |
| | PH14995 | SLOW PERFORMANCE AGAINST PLANNING ANALYTICS WITH REPORT THAT CONTAINS MANY SIMPLE CALCULATIONS |
| | PH14861 | UPGRADE FROM 11.0.13 TO 11.1.3 REPORTS FAIL WITH XQE-GEN-0005 IN TERNAL ERROR FOUND: COM.COGNOS.XQE.AST.SQL.SQLCAST INCOMPATIBLE |
| | PH14721 | USING INCLUDE OR EXCLUDE FILTER ON A CROSSTAB REPORT OUTPUT RETU RNS XQE-PLN-0004 FOUND AN INTERNAL ERROR ON NODE 'V5DATAITEM' |
| | PH14680 | DASHBOARD AGAINST A PA CUBE IS THROWING A LOT OF XQE ERRORS |
| | PH14537 | VIEW TABULAR DATA FAILS FOR A QUERY WHICH CONTAINS A DATA ITEM THAT INCLUDES PARAMETER DEFINITION |
| | PH14257 | DIFFERENCE IN TIME TAKEN TO OPEN AN ANALYSIS |
| | PH14236 | WHEN USING A PARENT MEMBER WITH SPECIAL CHARACTER (APOSTROPHE), THE CHILD MEMBERS ARE NOT DISPLAYED IN ANALYSIS STUDIO. |
| | PH14165 | POOR PERFORMANCE IN PA USING REST APIS AFTER MUN CHANGES |
| | PH13841 | SQLSERVER STORED PROCEDURE IN DATABASE WITH DASH/HYPHEN IN NAME FAILS TO TEST IN DQM |
| | PH13755 | XQE-PLN-0296 THE ARGUMENT AT POSITION 4 OF 'MEMBER' FROM THE DAT A ITEM 'DATAITEM' CANNOT BE COERCED INTO A 'HIERARCHY' EXPRESSION |
| | PH13748 | !MAPSUCCESS ERROR WHEN USING PA SUBSET PROPERTIES NESTED IN A SINGLE EDGE XTAB REPORT |

| Component | APAR | Description |
|---|---|---|
| | PH13706 | XQE-PLN-0004 FOUND AN INTERNAL ERROR ON NODE 'V5EDGE'. GETTYPE()? (MIGRATED REPORTS FROM 10.2.2 > 11.0.13) |
| | PH13699 | ERROR "XQE-GEN-0005 FOUND AN INTERNAL ERROR: JAVA.LANG.NULLPOINT EREXCEPTION" USING SHORTCUTS IN FM PROJECT (AND: BRIDGE TABLE). |
| | PH13678 | XQE-GEN-0005 FOUND AN INTERNAL ERROR FOR QUERY WITH MASTER DETAIL AND CROSS JOIN |
| | PH13677 | LIMITED FUNCTION SET RETURNS WARNING FOR TRUNC |
| | PH13636 | NULL POINTER EXCEPTION USING TM1 CONNECTION TO PA |
| | PH13432 | POWER CUBE name contains "&" ERRORS OUT WHEN DISPLAYING METADATA IN DASHBOARD |
| | PH13430 | CUSTOM VIEW RE-SET TO DEFAULT WHEN CLOSING A REPORT VIEWED FROM A SHARED LINK |
| | PH13412 | LIMITED FUNCTION SET RETURNS WARNING FOR TO_CHAR |
| | PH13411 | XQE-PLN-0174 THE COLUMN C2 MUST BE CONTAINED IN AN AGGREGATE FUNCTION OR THE GROUP BY CLAUSE. |
| | PH13253 | A BATCH JOB WITH BURST REPORTS EXECUTE IN PARALLEL WILL INTERMITTENTLY FAIL WITH ERROR XQE-GEN-0005 |
| | PH13145 | VECTORIZATION ERROR IN REPORTS. |
| | PH13142 | NUMEROUS JAVA.UTIL.ABSTRACTCOLLECTION.ADDALL ERRORS |
| | PH13140 | XQE-GEN-0002 AN UNEXPECTED EXCEPTION OCCURRED: JAVA.LANG.NULLPOINTEREXCEPTION |
| | PH13111 | CONNECTION TO PA CUBE LOST. |
| | PH12937 | "ORA-00942: TABLE OR VIEW DOES NOT EXIST" OCCURS EVEN THOUGH THERE IT IS. |
| | PH12841 | CONTENT MANAGER WITH GATEWAY INSTALLATION OF 11.1.2 FAILS TO RESTART |
| | PH12812 | DASHBOARD VISUALIZATION SET WITH REFRESH AUTOMATICALLY IS NOT UPDATED WITH LATEST DATABASE DATA |

| Component | APAR | Description |
|---|---|---|
| | PH12706 | WHEN A FILTER CONDITION IN A DASHBOARD IS BASED ON A DATA ITEM CONTAINING AN APOSTROPHE ( ' ) NO DATA IS RETURNED |
| | PH12604 | XQE-PLN-0115 AN INVALID VALUE WAS ASSIGNED TO PROMPT |
| | PH12473 | XQE-PLN-0307 REFERENCE TO MULTIPLE CUBES AND NAMESPACES |
| | PH12452 | CLOSING OPEN REPORTS IN A TAB BRINGS USER BACK TO WELCOME PAGE INSTEAD OF SET HOMEPAGE |
| | PH12324 | SUMMARY VISUALIZATION IS EMPTY WHEN DATA USED AN APOSTROPHE (') |
| | PH12317 | QUERY CANNOT BE PLANNED WITH 4 OR MORE CASE WHEN |
| | PH12300 | VALUES OF RUNNING-COUNT ARE INCONSISTENT BETWEEN CQM AND DQM WHEN QUERIES ARE JOINED. |
| | PH12238 | REDUCE TIME FOR THE FIRST REPORT RUN |
| | PH11956 | ANALYSIS STUDIO CROSSTAB WITH A MEASURE WHICH INCLUDES A AGGREGATION RULE LAST BASED ON DIMENSION - ERROR |
| | PH11880 | ADVANCED SETTING LARGE WORKSHEET CAUSES BLANK CELLS WHEN GROUP REPEATING CELLS IS DISABLED |
| | PH11865 | FILTER AND GROUPBY CLAUSE DROPPED FOR A COMPATIBLE QUERY MODE CONNECTION AGAINST VERTICA DATABASE |
| | PH11951 | XQE-DAT-0001 INVALID USE OF KEYWORD DISTINCT OR ALL WITH FUNCTION COUNT |
| | PH11750 | DRILL THROUGH ISSUE (BAD PERFORMANCE OR EVEN ERROR) IN COGNOS ANALYTICS 11.0.13 AFTER UPGRADE FROM COGNOS BI 10.2.2 |
| | PH11689 | SNOWFLAKE USER-DEFINED FUNCTIONS DO NOT APPEAR IN METADATA IMPORT |
| | PH11682 | COMPLEX CALCULATION LOCALLY PROCESSED IN DQM |
| | PH11633 | INVALID IDENTIFIER WITH SNOWFLAKE USER-DEFINED FUNCTION |
| | PH11676 | AGGREGATE ADVISOR AGAINST A GERMAN CUBE MODEL WILL FAIL |
| | PH11522 | UNNECESSARY OIDC LOGIN WHEN RUNNING A PROMPTED CLASSIC VIEWER REPORT IN THE BACKGROUND THAT RETURNS AN ERROR AND CLOSING IT |

| Component | APAR | Description |
|---|---|---|
| | PH11507 | REPORT FAILS WITH JAVA.LANG.ARRAYINDEXOUTOFBOUNDSEXCEPTION XVECTORCASTLONGTODOUBLE |
| | PH11506 | REPORT FAILS WITH JAVA.LANG.ARRAYINDEXOUTOFBOUNDSEXCEPTION XVECTORCURRENTDATE |
| | PH11434 | XQE-DAT-0001 ERROR OCCURRED WHEN ADDING MYSQL'S STORED PROCEDURE TO A QUERY SUBJECT AND TESTING THIS IN FM. |
| | PH11326 | DB2 ERROR WHEN USING DATA ITEM VALUE AS COLUMN HEADER AND CROSS JOIN |
| | PH11105 | IE CRASHING WITH OUT OF MEMORY ERRORS WHEN USING DASHBOARDS WITH MULTIPLE MAP VISUALIZATIONS |
| | PH10985 | XQE-DAT-0001 ERROR THROWS BY A IF-THEN-ELSE EXPRESSION IN AN ACTIVE LIST REPORT |
| | PH10353 | RUNNING A SIMPLE REPORT WITH MAPS (11.1.X, 11.0.X, OR LEGACY) WILL CAUSE IE TO CRASH AND THROW OUT OF MEMORY BLOB ERROR |
| | PH10161 | ALIAS ATTRIBUTES OF TOP LEVEL MEMBERS DO NOT SHOW IN REPORT |
| | PH09785 | CROSS TAB SHOWS NO DATA WHEN FILTERED ON A STRING CONTAINING AN APOSTROPHE ' (SOURCE: DATA MODULE ON UPLOADED FILE - XLSX) |
| | PH07751 | ERROR DUE TO COGNOS SQL WITH WHERE CLAUSE |
| | PH04636 | SAPBW: DIMENSIONS GROUPS CANNOT BE IMPORTED BECAUSE DYNAMIC QUERY MODE SET LANGUAGE TO EN-US |
| | PI93412 | JAVA.LANG.NULLPOINTEREXCEPTION WHEN ATTEMPTING TO UPDATE OBJECT IN FM WITH SALESFORCE DATASOURCE THAT HAS BEEN MODIFIED |
| | PI86287 | RQP-DEF-0326 ERROR (RUNNING/VALIDATING A REPORT WITH SQL QUERY OBJECT THAT FAILS) WHEN TESTING A USER-DEFINED SQL. |
| **Administration** | PH17702 | IF REMOVE PACKAGE FROM ROUTING RULE USING REMOVE BUTTON, THE PACKAGE WILL BE REMOVED, BUT REOPEN THE ROUTING RULE, IT WILL SHOW |
| | PH14970 | EASY INSTALLATION CHANGE YOUR PASSWORD FUNCTIONALITY REMOVED WITH 11.1.X |

| Component | APAR | Description |
|---|---|---|
| | PH14496 | NEW URL PATH FROM FOLDER TO FILE SYSTEM DOESN'T WORK, THROWS CAF ERROR IN CLASSIC VIEWER, INVALID URL ERROR IN GLASS UI |
| | PH14065 | EXCEL 2007 DATA TRANSLATION INTO RUSSIAN IS WRONG IN OLD UI AREAS |
| | PH14052 | SPELLING MISTAKE IN DISPATCHERMESSAGES_DE.PROPERTIES |
| | PH12556 | CANNOT HAVE DATA SOURCES AND SECURITY OBJECTS SHARING THE SAME NAME (Misleading Error) |
| | PH11990 | CREATING A JOB AND ADDING REPORTS TO BE SENT VIA EMAIL WITH A LINK TO THE REPORT, THE EMAIL CONTAINS "XHTML" BUT IS NOT A LINK. |
| | PH11899 | SCHEDULE DOES NOT RUN WHEN RUN ONCE IS CLICKED IN MY SCHEDULES AND SUBSCRIPTIONS |
| | PH10334 | CREATING JOB WITH 'SAVE THE REPORT AS A REPORT VIEW' CLEARS OUT JOB STEPS IN UI |
| | PH08789 | EMAIL BODY SHOWING AS NULL WHEN REPORT IS CONTAINED WITHIN A JOB |
| | PI99418 | REPORT NAME MISSING UNDER MANAGE -->ACTIVITIES-->CURRENT WITH "RUNNING IN BACKGROUND UN-TICKED" IN CA 11.11 |
| | PI92696 | ODD AND INCONSISTENT THEME CUSTOMIZATION BEHAVIOR FOR NON-SYSTEM ADMINISTRATORS. |
| **Cognos Connection** | PH12849 | BACKGROUND COLOR OF VALUE PROMPT IN PROMPT PAGE CHANGES WHEN RUN IN BACKGROUND. |
| **Cognos Cube Designer** | PH11141 | ERROR DESCRIPTION SHOWN IN CUBE DESIGNER SAYS COGNOS 10 INSTEAD OF COGNOS 11 |
| **Cognos Mobile** | PH01474 | WONDER WHY "BLAH BLAH" IS IN PROPERTIES FILE <C11>/WEBAPPS/P2PD/WEB-INF/SCRIPTS/PROCESSORS/HISTORY.GROOVY |

| Component | APAR | Description |
|---|---|---|
| **Cognos SDK** | PH13815 | DPR-ERR-2079 FIREWALL SECURITY REJECTION. YOUR REQUEST WAS REJECTED BY THE SECURITY FIREWALL. |
| **Cognos Security** | PH12880 | RACF PROVIDER IS NO LONGER AVAILABLE IN COGCONFIG NO RACF PROVIDER ON AIX AND ZLINUX. |
| | PH06861 | CJAP - JDBC SAMPLE DOES NOT WORK IN CA 11.1 - LOGON ATTEMPTS RESULT IN AAA-SYS-0001 |
| **Cognos Viewer** | PH14622 | QUERY STUDIO NOT DISPLAYING CANCEL BUTTON |
| | PH13218 | QUERY STUDIO MODEL FILTER PROMPT APPEARS REPEATEDLY AFTER APPLYING IF 1010 |
| | PH13018 | FILTER FUNCTIONALITY AND RENDERING IS INCORRECT |
| | PH12523 | MULTI SELECT VALUE PROMPTS SHOWS USING 11.X STYLE WHEN REPORT SET TO 10.X STYLE |
| | PI93676 | REPORT SET TO "RUN WITH FULL INTERACTIVE" = "NO" RUNS IN THE NEW VIEWER WHEN RUN IN HTML BACKGROUND. |
| **Content Manager** | PH18328 | GETTING ERROR MESSAGE WHEN UPGRADE FROM 11.1.3 TO COGNOS 11.1.4 WHEN BUILT IN GROUP OR ROLE IS MISSING |
| | PH14610 | SERIOUS SYSTEM INSTABILITY. CM-SYS-5173 CONTENT MANAGER FAILED.. |
| | PH14464 | JAVA.LANG.INDEXOUTOFBOUNDSEXCEPTION WHEN USING A SID/CM/RID URL IN R13 |
| | PH08719 | ERROR: WE CAN'T CREATE YOUR SCHEDULE RIGHT NOW. TRY AGAIN LATER. WHEN CREATING A SCHEDULE USING GOOGLE OIDC NAMESPACE USERS. |
| | PH04487 | COPYING OR DELETING MULTIPLE REPORTS FROM THE C11 PORTAL GENERATES ONE OPERATION IN THE COGAUDIT.LOG |
| | PI95562 | LICENSES FOR ANALYTICS USER COUNT TOWARDS ANALYTICS ADMINISTRATOR |

| Component | APAR | Description |
|---|---|---|
| **Content Navigation** | PH17738 | BLANK SCREEN IS PRESENTED WHEN TRYING TO UPDATE THE TENANT INFORMATION IN COGNOS 11.1.3 |
| | PH16716 | Custom folder is empty from App Pane |
| | PH16007 | FLY OUT PANEL FOR TENANT SETTINGS AND PROPERTIES IS EMPTY FOR ALL OBJECTS |
| | PH15418 | UNABLE TO DELETE, DOWNLOAD AND UPDATE ANY THEMES AFTER APPLYING 11.0.13 IF1019 |
| | PH15270 | CUSTOMIZATION FOLDER NOT VISIBLE |
| | PH15052 | USER WITHOUT UPLOAD FILE CAPABILITY CAN SEE DRAG AND DROP FILES, OPEN QUICK LAUNCH OR BROWSE SECTION ON HOME PAGE |
| | PH14117 | IN 11.1.2, REPORT STILL RUNS IN HTML USING SHARE LINK WHEN DEFAULT REPORT FORMAT IS SET TO PDF |
| | PH14096 | CONTEXT MENU FOR THEMES AND EXTENSIONS DOES NOT OPEN SINCE IF1016 AND ISSUE STILL EXIST IN IF1018 |
| | PH13944 | THEME WITH TEXT CONTAINING AN APOSTROPHE DOES NOT DISPLAY PROPERLY IN 11.1.2 |
| | PH13689 | WHITE SPACE ADDED TO THE TEAM CONTENT SLIDE-OUT PANE WHEN SWITCHING THE BROWSER TO FULL SCREEN |
| | PH13237 | CANNOT SEE "CREATE SHORTCUT" OPTION WITH "READ" PERMISSIONS |
| | PH12617 | EMPTY CONTEXT BASED MENU FOR PACKAGE WHEN NOT HAVING READ PERMISSION |
| | PH10061 | NUMBER AND SPECIAL CHARACTER SORT ORDER FOR COPY/MOVE IS DIFFERENT TO THE MAIN UI FLYOUT |
| | PH10009 | IF A CUSTOM FOLDER NAME IS TOO LONG IT IS NOT DISPLAYED ON THE TOP OF THE LIST WHEN CLICKING ON CUSTOM FOLDER IN NAVIGATION BAR |
| | PH07575 | UNABLE TO GET OPTIONS FOR A REPORT SHORTCUT AS A RESULT OF SEARCH |
| **Dashboarding** | PH16123 | DASHBOARDS WIDGETS ARE NOT BEING FILTERED WHEN USING SUBSETS |
| | PH15930 | INCORRECT DASHBOARD CALCULATION PREVIEW OCCURS REGARDLESS OF DASHBOARD, DATA, FUNCTION AND TEMPLATE TYPE. |

| Component | APAR | Description |
|---|---|---|
| | PH14682 | NAVIGATION BAR SETTINGS CAUSES DISAPPEARANCE OF DASHBOARD WIDGET FILTER ICONS |
| | PH14439 | DMR BASED DASHBOARD ERROR, WHEN PROMPT MACROS ARE USED IN THE DATA SOURCE AND SCHEMA DEFINITION IN FM. |
| | PH14108 | DASHBOARD DRILL THROUGH TO REPORT NOT APPLIED TO ALL TABS/ ALL WIDGETS |
| | PH13788 | SUMMARY ROW OF A TABLE VISUALIZATION IN A DASHBOARD DOES NOT CORRECTLY AGGREGATE CUSTOM CALCULATION COLUMN |
| | PH12807 | UNABLE TO CHANGE THE TITLE COLOR OF A DASHBOARD VISUALIZATION USING 'FAVORITES' LIST |
| | PH12322 | USERS WHO HAVE NO ABILITY TO ADD COLUMNS TO THE FILTER DOCK STILL SEE THE MESSAGE "DRAG AND DROP DATA HERE TO FILTER" |
| | PH12268 | CREATING A DASHBOARD OFF A DATA MODULE REQUIRES A CLOSE OF THE DASHBOARD TO SEE DATA AFTER RELOAD |
| | PH12226 | INCORRECT TRANSLATION INTO SWEDISH IN THE FORMAT DIALOG WINDOW WHEN EDITING A DASHBOARD |
| | PH12222 | INCORRECT THOUSANDS SEPARATOR IN DASHBOARD SUMMARY WIDGETS WHEN USING SWEDISH LANGUAGE |
| | PH11656 | NO DATA AVAILABLE WHEN DRILLING FROM DASHBOARD TO REPORT ON NULL VALUE |
| | PH11029 | WHEN DRILLING UP IN DASHBOARD THE FILTER REMAINS. |
| | PH09528 | COGNOS 11.1 R2 DOES NOT PRODUCE THE CORRECT OUTPUT WHEN TOP FUNCTION AND FILTER IS USED |
| **Delivery Service** | PH14614 | JOB DELIVERY EMAIL DOES NOT CONTAIN HTML OUTPUT IN THE BODY OF THE EMAIL. IT SENDS REPORT AS AN ATTACHMENT. |
| | PH10546 | CNC-SDS-0408 WATCH RULES FAIL TO SEND EMAILS BUT REPORTS AND SCHEDULES CAN STILL BE SENT |
| | PH05974 | SMTPRULES FEATURE DOES NOT WORK IN COGNOS ANALYTICS |

| Component | APAR | Description |
|---|---|---|
| **Event Studio** | PH12308 | CNC-ASV-0050 ERROR WHEN USING THE CONDITION 1=1 |
| | PH09674 | WHEN A USER HAS A LARGE NUMBER OF HTS ITEMS (12K) THE INBOX WIDGET IN WORKSPACE WILL RETURN A DIALOG BOX STATING 'UNSPECIFIED |
| | PH06703 | NO ERROR MESSAGE IF YOU SET AGENT ON EVENT STUDIO WITHOUT RECIPIENTS |
| | PH06701 | DELIVERY SERVICE(DLS) IS NOT CALLED WITHOUT RECIPIENT ON E-MAIL TASK |
| **Framework Manager** | PH15886 | ORACLE STORED PROCEDURE IMPORTS WITH NO INPUT PARAMETERS IN DQM AND NOT AT ALL IN CQM IN 11.1.3. |
| | PH12661 | RECENT IE UPDATE IS CAUSING SCRIPTING ERRORS WHEN LAUNCHING FRAMEWORK MANAGER WITH OPENID |
| **Job Scheduling and Monitor Service** | PH15046 | UNABLE TO RUN ./TRIGGER.SH FROM COMMAND LINE. (linux) |
| | PH13697 | ADVANCED SETTING FOR WHITELISTING EMAIL DOMAINS |
| | PH08347 | SCHEDULING AN EVENT RETURNS - SAXEXCEPTION: INVALID ELEMENT |
| **Lifecycle Manager** | PH11902 | HTML COMPARE IN LIFECYCLE MANAGER GIVES FALSE POSITIVES. IT DOES NOT DETECT ALL FONT OR FORMATTING DIFFERENCES |
| | PH11900 | OPTION TO RUN REPORTS IN DQM DOES NOT WORK IN COGNOS ANALYTICS LIFECYCLE MANAGER |
| | PH11875 | REPORT PROMPTS IN LIFECYCLE MANAGER DO NOT FUNCTION PROPERLY WHEN THE HOSTNAME FOR THE COGNOS ANALYTICS SERVER CONTAINS BI |
| **Managing** | PH13991 | DATA TAG EDIT TO REMOVE AN OBJECT IS NOT DELETED |

| Component | APAR | Description |
|---|---|---|
| | PH11901 | IN A SCHEDULE THE RECIPIENT LIST WILL BE OVERLAPPING WHEN THE FOLDERS ARE IN TOO MANY SUBFOLDERS |
| **Modeling** | PH14996 | EXPRESSION LIKE '%20' IN A DATA MODULE CALCULATION IS CONVERTED TO LIKE '+' |
| | PH12954 | DSS-GEN-0002 UNABLE TO FIND COLUMN <> IN DATA SET <>. ERROR WHEN TRYING TO ADD ANOTHER VIEW TO A DATA MODULE. |
| | PH12903 | DATA MODULE CUSTOM SQL VALIDATION FAILS WITH LARGE SQL QUERY WHEN USING A WEB SERVER |
| | PH12265 | VERTICAL SCROLLBAR DOES NOT APPEAR WHEN APPLYING SECURITY FILTERS ON DATAMODULE |
| | PH10774 | "AMBIGUOUS CONNECTIONS" IN A DATAMODULE (NATIVE SQL) WHEN USING MULTIPLE DATASOURCE CONNECTIONS |
| | PH10380 | CM JAVA CORING WHEN ATTEMPTING TO SAVE OR RELINK DATA SOURCES |
| | PH10335 | ENRICH PACKAGE WITH MULTIPLE DATA SOURCES |
| | PH08971 | DATA MODULE BASED ON A DATA SET AND A PACKAGE IGNORED THE DECIMAL AND THOUSAND DELIMITER |
| **Query Studio** | PH10228 | UNABLE TO EDIT TEXT FILTERS IN QUERY STUDIO WHEN MORE THAN ONE DATA SOURCE CONNECTION DEFINED |
| | PI99537 | QS REPORT PASSING DATE PARAMETER AS STRING IF PROMPT TYPE IS SELECT VALUE |
| **Report Authoring** | PH16989 | WEBPAGE ERROR: UNABLE TO GET PROPERTY 'XXXXX' OF UNDEFINED OR NULL REFERENCE |
| | PH15855 | UNABLE TO COPY/PASTE A DETAIL FILTER TO ANOTHER REPORT WHEN USING 11.1.3. |
| | PH15752 | DRILL THROUGH ON A VISUALIZATION FAILS WITH TYPEERROR WHEN USING "DO NOT PASS PARAMETER" |

| Component | APAR | Description |
|---|---|---|
| | PH15635 | MISSING VISUALIZATION PROPERTIES |
| | PH15506 | JS ERRORS WHEN SELECTING DATA CONTAINER IN QUERY EXPLORER |
| | PH15230 | ALL TEXTS UNDER VISUALIZATION CHART LEGEND OPTIONS ARE NOT TRANSLATED FOR NON-ENGLISH PRODUCT LANGUAGE |
| | PH14997 | ADDING OR MODIFYING ADVANCED CONDITIONS ON CHARTS THROWS TYPENULL ERRORS |
| | PH14724 | DATA CONTAINER ERROR WHEN TRYING TO COPY VISUALIZATION WHICH CONTAINS A DRILL THROUGH DEFINITION |
| | PH14388 | JAVASCRIPT ERROR POPS UP WHEN RUNNING REPORT WITH FULL INTERACTIVITY IN FIREFOX 68 |
| | PH14244 | AFTER DRILL THROUGH, TOGGLING A CONDITIONAL BLOCK IN TARGET REPORT CAUSES PROMPT PAGE TO SHOW |
| | PH14173 | UNABLE TO DRILL THROUGH TO TARGET REPORT WHEN FULL INTERACTIVITY IS SET TO NO. DPR-ERR-2079 FIREWALL SECURITY REJECTION |
| | PH14145 | REFERENCEERROR IS DISPLAYED WHEN CHANGING NUMBER STYLE IN AUTHORING |
| | PH13016 | COPY AND PASTE FROM ONE QUERY TO ANOTHER BETWEEN 2 REPORTS NOT POSSIBLE |
| | PH12714 | SELECT VALUE PROMPT CHOICES INHERIT PARENT ALIGNMENT IN IE11 |
| | PH12609 | HOVERING OVER ON A SINGLETON IN A HTML REPORT OUTPUT CAUSES TYPEERROR: UNABLE TO GET PROPERTY 'PARENTELEMENT' IN IE |
| | PH11914 | IFRAME WITH PARAMETER AND VALUE SET DOES NOT AUTOMATICALLY RUN THE REPORT. |
| | PH10890 | DRAGGING A TEXT ITEM TO A LAYOUT COMPONENT REFERENCE GIVE TYPEERROR: CANNOT READ CHILD PROPERTY 'CHILDNODES' OF NULL |
| | PH09329 | DRILL TARGETS REFERRING TO REPORT ID INSTEAD OF REPORT REF PATH |
| | PH08728 | WARNING POP-UP WHEN RUNNING INTERACTIVE REPORT AS A USER WITH NO READ PERMISSION ON THE REPORT OR DATA MODULE |
| | PH08235 | EXTERNAL DATA WITH CQM PACKAGE CAUSE DATA ITEMS LIST AS UNDEFINED AND RE-PUBLISH THROUGH ERROR |
| | PH03165 | BROWSER REFRESH (F5) CAUSES THE REPORT TO OPEN IN EDIT MODE |

| Component | APAR | Description |
|---|---|---|
| | PH02552 | EMPTY LINES ARE TRUNCATED FROM THE REPORT DESCRIPTION() USED IN A RICH ITEM TEXT IN THE REPORT EXPRESSION |
| **Report Server** | PH18427 | DRILL THROUGH PASSES PARAMETER VALUE SEVERAL TIMES |
| | PH17134 | PROMPTS IN CUSTOM CONTROL NOT WORKING PROPERLY WHEN REPORT RUN TO EXCEL FROM THE PORTAL |
| | PH16785 | DRILL THROUGH PASSING LARGE LIST OF VALUES |
| | PH16489 | PROMPT REPORT RUN IN BACKGROUND THROWS TYPE NULL ERROR IN EXCEL |
| | PH16433 | UNABLE TO NEST DATA ITEMS IN CHART TYPE CLUSTERED BAR CHART |
| | PH15923 | UNABLE TO ADD CROSSTAB SPACE ON THE LEFT AND RIGHT OF AN EXISTING CROSSTAB SPACE WHEN GUIDED REPORT LAYOUT IS ENABLED |
| | PH15909 | REPORT URL WITH PROMPT=FALSE WILL STILL PROMPT IN 11.0.13 |
| | PH15622 | ADVANCE PROPERTY RSVP.EXCEL.XLS2007_ALLOW_WRAPPING_SINGLE_CELL IS NOT WORKING IN CA 11.1.3 |
| | PH13710 | CALCULATION IN DATA MODULE ARE NOT DISPLAYED WITH CORRECT HEADER AND DATA FORMAT |
| | PH13214 | REPORT RUN TO EXCEL FORMAT WHICH HAS BEEN SAVED TO THE FILE SYSTEM CONTAINS END OF FILE MARKER AT 45,000 ROWS. |
| | PH13208 | LEGEND TITLE IS VISIBLE IN PDF/EXCEL FORMAT EVEN THOUGH ITS BEEN DISABLED FOR VISUALIZATION |
| | PH13187 | THE OPTION ( SHOW MISSING DATA AS GAP) IN LINE CHARTS DOESN'T WORK |
| | PH13087 | UNABLE TO COPY ASSETS BETWEEN REPORTS CONTAINING A CONDITIONAL VARIABLE USING A SPECIAL CHARACTER |
| | PH12909 | SELECT AND SEARCH PROMPT DOES NOT RESPECT RUN WITH FULL INTERACTIVITY SETTINGS IN BACKGROUND |
| | PH12862 | ALIGNMENT OF SELECT AND SEARCH PROMPT WAS CHANGED AFTER APPLYING FP1 |

| Component | APAR | Description |
|---|---|---|
| | PH12842 | SOURCE REPORT FOR PDF IN A DRILL THROUGH SETUP GOES BLANK FOR SAVED OUTPUT VERSION |
| | PH12839 | HTML REPORT OUTPUT IS NOT WELL FORMED WHEN VIEWING TABULAR DATA AGAINST A QUERY |
| | PH12705 | THE LINE SPACING ON MULTI-VALUE, VALUE PROMPTS IS INCONSISTENT BETWEEN COGNOS ANALYTICS 11.1.1 AND COGNOS ANALYTICS 11.1.2 |
| | PH12184 | Personal Preferences prevent running to HTML in edit mode |
| | PH12108 | UNABLE TO CONVERT EXPLORATION TO CUSTOM REPORT IN PA FOR EXCEL AGAINST CA 11.1.2 |
| | PH11249 | GEN-ERR-0002 ERROR RUNNING REPORTS AFTER UPGRADE TO 11.0.13 |
| | PH10647 | DRILL-THROUGH TO SAME REPORT FAILS BY CM-CAM-4005 AFTER LOGON SESSION TIMEOUT IN LTPA SSO ENVIRONMENT. |
| | PH09780 | BACKGROUND REPORT CONTINUES TO RUN AFTER BEING CANCELLED IN DISTRIBUTED ENVIRONMENT |
| | PH07937 | WITH RSVP.PARAMETERS.LOG SET TO TRUE, SOME REPORTS DO NOT LOG ANY PARAMETERS IN THE AUDIT STORE TABLE COGIPF_PARAMETER |
| | PH02628 | ERROR WHEN RUNNING A REPORT TO EXCEL FROM PORTAL WHEN REPORT CONTAINS JAVASCRIPT IN CUSTOM CONTROL |
| **Report Studio** | PH15249 | OPEN TARGET REPORT FROM SOURCE REPORT, THE NAME DOES NOT CHANGE TO TARGET REPORT, IF THERE IS VIEW VERSIONS CREATED FOR THE SOUR |
| | PH14988 | WHEN CANCEL REPORT FROM VIEW TABULAR DATA, COGNOS DIRECT BACK TO WELCOME PAGE INSTEAD OF CUSTOM DEFAULT HOMEPAGE |
| | PH14844 | TYPEERROR' OCCURS BY PRESSING 'ENTER' KEY AFTER SELECTING ANY OPTIONS ON 11.1.3 CUSTOM FILTER. |
| | PH14644 | DRILLTHROUGH CONTAINED IN A SINGLETON FAILS WITH TYPEERROR USING IE11 BROWSER |

| Component | APAR | Description |
|---|---|---|
| | PH06122 | USERS WHO HAVE RUN PERMISSION ON REPORT ARE ABLE TO OPEN IT UP IN EDIT MODE AFTER REFRESHING THE BROWSER WHILE RUNNING IT |
| **Samples** | PH15536 | THE TEXT ABOVE AND BELOW THE PROMPT TELLS THE USER TO SELECT A PACKAGE, WHEN IT SHOULD TELL THEM TO SELECT A USER NAME. |
| | PH12355 | XQE-DAT-0001 ORA-12704: CHARACTER SET MISMATCH WHEN RUNNING AUDIT REPORTS IN 11.0.13 FP1 |
| | PH11992 | ORA-12704 CHARACTER MISMATCH WHEN USING STRING LITERAL IN ANY CONSTRUCT IN ORACLE DQM |
| **Search** | PH18714 | INDEXING DOES NOT WORK AFTER UPGRADING TO 11.1.3, SOLR/LUCENE HOLDS A LOCK ON THE INDEX FILES |
| | PH12454 | SEA-GEN-0001 ERROR IS SHOWN IN COGNOSSERVER.LOG WHEN CA11.1.2 INSTALLED ON ENGLISH OS WITH FRENCH REGIONAL SETTINGS |
| | PH10395 | WITH A SEARCH, USER CAN SEE CONTENT IN A RESTRICTED FOLDER |
| | PH05908 | SEARCH IS UNABLE TO FIND SOME OBJECTS |
| | PH05396 | REPORT APPEARS IN SEARCH RESULTS IF USER DOES NOT HAVE PERMISSION TO ACCESS FOLDER STRUCTURE AND REPORT |
| | PI82083 | SEARCHING FOR A STRING IN COGNOS 11.0.6 RETURNS AN UNEXPECTED SET OF RESULTS IF CONTENT LANGUAGE IS CHANGED |
| **Smarts** | PH11678 | POWERCUBE DATA TAKES LONGER TO LOAD IN A DASHBOARD WHEN CONTENT LANGUAGE SET TO SPANISH |