

Campus Signage Schematic/Design Development Review North Nevada Corridor


04-March-2020



PART 1

Hybl Building Area Schematic/Design Development





GROUND SIGN LOCATION PLAN

SIGN TYPES

AA	NEW SIGNS
AA.1	Large Multi-Tenant Monument
AA.2	Large Directional Monument
AA.3	Small Vehicular Directional
AA.4	Large Vehicular Directional
AA.5	Building ID
AA.6	Small Building Multi-tenant
СС	EXISTING SIGNS TO REMAIN
CC.1	Gateway Signs
CC.2	ENT/Hybl Sign

CC.3 Building Signs CC.4 Directional Signs

SIGN DESIGNATOR LEGEND



Approximate Location

BB.2 - 01-Sign Number

-Sign Type Designator

LOCATION PLAN NOTES

Sign indicators on location plans are not to scale. They indicate general sign locations and approximate sign size, but are not representative of actual sign sizes or exact locations.


UCCS Wayfinding

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918









- 1 ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH RAL 8019 DOUBLE-SIDED
- 2 EXTRUDED CABINET PANEL, ALUMINUM PAINT COLOR TO MATCH PMS 4525C
- 3 1/2" ALUMINUM "FIN" PAINT COLOR TO MATCH PMS 4525C
- 4 8" HEIGHT 1" ACRYLIC PUSH-THRU 'UCCS' LOGO. LOGO ON FACE TO BE MASKED AND PAINTED
- 5 5" CAP HEIGHT, TITLE CASE 1/2" WHITE ACRYLIC PUSH-THRU LETTERS FACE AND EDGE ILLUMINATED * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGE
 - * ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH

- 6 INTERNALLY ILLUMINATED ACRYLIC ACCENT
 - -MILK WHITE ACRYLIC, BRIGHT WHITE LEDS
 - -1/2" ALUMINUM FRAME PAINTED TO MATCH PMS 4525C -LIGHTS TO BE DIFFUSED APPROPRIATELY - SAMPLE TO BE REVIEWED BEFORE INSTALL
- **7** 4-1/2" LETTER HEIGHT, ALL CAPS 1/2" CLEAR ACRYLIC PUSH-THRU, 1/32" OPAQUE BLACK PLANT-ON FACES APPLIED
- FACE PAINTED BLACK MILK WHITE ACRYLIC PUSH-THRU LETTERS EDGE ILLUMINATED
- * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGES
- 8 PERFORATED ALUMINUM CABINET SHEATH MOUNTED FLUSH WITH INTERNALLY ILLUMINATED ACRYLIC ACCENT TO MATCH PMS 4525C
- 9 3/4" ALUMINUM RAILS (LANDSCAPE PROTECTION CLADDING) EVENLY SPACED, SPANNING ALL 4 SIDES POWDER COATED PAINT COLOR TO MATCH PMS 4525C TO BE ATTACHED TO SIGN FRAME ON EDGES

ADDITIONAL NOTES

- -All hardware and utilities to be concealed and integrated.
- -Typeface used is Helvetica Neue Bold. -Manufacturer's or other labels to be located on concealed surfaces, not visible from a pedestrian level.

UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

NORTH SIGN FACE


HYBL CENTER Centura Sports Performance [TENANT B] [TENANT C]

SOUTH SIGN FACE

HYBL CENTER Centura Sports Performance [TENANT B] [TENANT C]



AA.1 - 03



UCCS Wayfinding


1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918








SIDE A





LARGE DIRECTIONAL MONUMENT - NIGHT VIEW

FABRICATION NOTES

- 1 ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH RAL 8019 DOUBLE-SIDED
- 2 1" DECORATIVE ALUMINUM COMPONENT PAINT COLOR TO MATCH PMS 4525C
- 3 1/2" ALUMINUM "FIN" PAINT COLOR TO MATCH PMS 4525C
- 4 7" HEIGHT 1" ACRYLIC PUSH-THRU 'UCCS' LOGO. LOGO ON FACE TO BE MASKED AND PAINTED
- 5 3 1/2" CAP HEIGHT, TITLE CASE 1/2" WHITE ACRYLIC PUSH-THRU LETTERS FACE AND EDGE ILLUMINATED * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGE
- * ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH

- INTERNALLY ILLUMINATED ACRYLIC/ PERFORATED ALUMINUM ACCENT -MILK WHITE ACRYLIC, BRIGHT WHITE LEDs
 - -1/2" ALUMINUM FRAME AND PERFORATED ALUMINUM PAINTED TO MATCH PMS 4525C -LIGHTS TO BE DIFFUSED APPROPRIATELY - SAMPLE TO BE REVIEWED BEFORE INSTALL
- **7** 3M REFLECTIVE WHITE VINYL LETTERING TEXT: 1 3/4" CAP HEIGHT, TITLE CASE LINE: 3/4" HEIGHT
- **8** 3/4" ALUMINUM RAILS (LANDSCAPE PROTECTION CLADDING) EVENLY SPACED, SPANNING ALL 4 SIDES POWDER COATED PAINT COLOR TO MATCH PMS 4525C TO BE ATTACHED TO SIGN FRAME ON EDGES

ADDITIONAL NOTES

- -All hardware and utilities to be concealed and integrated.
- -Typeface used is Helvetica Neue Bold. -Manufacturer's or other labels to be located on concealed surfaces, not visible from a pedestrian level.

UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

SIDE A

Hybl Center > Parking >

^ Ent Center for the Arts 5225 N. Nevada ^ Mountain Lion Stadium & Field ^ Parking

SIDE B

< Hybl Center

< Parking



UCCS Wayfinding 18817

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918









STREET

STREET





LARGE DIRECTIONAL MONUMENT - NIGHT VIEW

FABRICATION NOTES

- 1 ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH RAL 8019 DOUBLE-SIDED
- 2 1" DECORATIVE ALUMINUM COMPONENT PAINT COLOR TO MATCH PMS 4525C
- 3 1/2" ALUMINUM "FIN" PAINT COLOR TO MATCH PMS 4525C
- 4 7" HEIGHT 1" ACRYLIC PUSH-THRU 'UCCS' LOGO. LOGO ON FACE TO BE MASKED AND PAINTED
- **5** 3 1/2" CAP HEIGHT, TITLE CASE 1/2" WHITE ACRYLIC PUSH-THRU LETTERS FACE AND EDGE ILLUMINATED * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGE
 - * ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH

- INTERNALLY ILLUMINATED ACRYLIC/ PERFORATED ALUMINUM ACCENT -MILK WHITE ACRYLIC, BRIGHT WHITE LEDs
 - -1/2" ALUMINUM FRAME AND PERFORATED ALUMINUM PAINTED TO MATCH PMS 4525C -LIGHTS TO BE DIFFUSED APPROPRIATELY - SAMPLE TO BE REVIEWED BEFORE INSTALL
- **7** 3M REFLECTIVE WHITE VINYL LETTERING TEXT: 1 3/4" CAP HEIGHT, TITLE CASE LINE: 3/4" HEIGHT
- **8** 3/4" ALUMINUM RAILS (LANDSCAPE PROTECTION CLADDING) EVENLY SPACED, SPANNING ALL 4 SIDES POWDER COATED PAINT COLOR TO MATCH PMS 4525C TO BE ATTACHED TO SIGN FRAME ON EDGES

ADDITIONAL NOTES

- -All hardware and utilities to be concealed and integrated.
- -Typeface used is Helvetica Neue Bold. -Manufacturer's or other labels to be located on concealed surfaces, not visible from a pedestrian level.

UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

SINGLE SIDED

Hybl Center > Ent Center for the Arts 5225 N. Nevada > Mountain Lion Stadium & Field > ^ Mountain Lion Park ^ Mountain Lion Field House



UCCS Wayfinding 18817

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918

04-MAR-2020



DAVIS

PARTNERSHIP

ARCHITECTS





- 1 ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH RAL 8019 DOUBLE-SIDED
- **2** PERFORATED ALUMINUM (NON-ILLUMINATED) PAINT COLOR TO MATCH PMS 4525C
- **3** 1/2" ALUMINUM "FIN" PAINT COLOR TO MATCH PMS 4525C
- 4 5" HEIGHT 1/2" ACRYLIC PUSH-THRU 'UCCS' LOGO. LOGO ON FACE TO BE MASKED AND PAINTED

- 5 2 7/8" CAP HEIGHT, TITLE CASE
- 1/4" WHITE ACRYLIC PUSH-THRU LETTERS
- FACE AND EDGE ILLUMINATED
- * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGE
- * ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH
- **6** 3/4" ALUMINUM RAILS (LANDSCAPE PROTECTION CLADDING) EVENLY SPACED, SPANNING ALL 4 SIDES POWDER COATED PAINT COLOR TO MATCH PMS 4525C TO BE ATTACHED TO SIGN FRAME ON EDGES

ADDITIONAL NOTES

-All hardware and utilities to be concealed and integrated. -Typeface used is Helvetica Neue Bold. -Manufacturer's or other labels to be located on concealed surfaces, not visible from a pedestrian level.


UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

SINGLE-SIDED

- **^ PATIENT PARKING**
- < > GENERAL PARKING
- < PHYSICIAN PARKING






UCCS Wayfinding 18817

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918









- 1 ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH RAL 8019 DOUBLE-SIDED
- **2** PERFORATED ALUMINUM (NON-ILLUMINATED) PAINT COLOR TO MATCH PMS 4525C
- **3** 1/2" ALUMINUM "FIN" PAINT COLOR TO MATCH PMS 4525C
- 4 5" HEIGHT 1/2" ACRYLIC PUSH-THRU 'UCCS' LOGO. LOGO ON FACE TO BE MASKED AND PAINTED

- 5 2 7/8" CAP HEIGHT, TITLE CASE
- 1/4" WHITE ACRYLIC PUSH-THRU LETTERS
- FACE AND EDGE ILLUMINATED
- * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGE
- * ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH
- **6** 3/4" ALUMINUM RAILS (LANDSCAPE PROTECTION CLADDING) EVENLY SPACED, SPANNING ALL 4 SIDES POWDER COATED PAINT COLOR TO MATCH PMS 4525C TO BE ATTACHED TO SIGN FRAME ON EDGES

ADDITIONAL NOTES

-All hardware and utilities to be concealed and integrated. -Typeface used is Helvetica Neue Bold. -Manufacturer's or other labels to be located on concealed surfaces, not visible from a pedestrian level.


UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

SINGLE-SIDED

^ PHYSICIAN PARKING







UCCS Wayfinding 18817

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918








PART 2

Cybersecurity Building Schematic/Design Development



UCCS CYBERSECURITY BUILDING - Overview

Scale - nts




UCCS Wayfinding

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918









* ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH

UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

SIDE A (NORTH SIGN FACE)

CYBERSECURITY BUILDING National Cybersecurity Center **Exponential Impact**

SIDE B (SOUTH SIGN FACE)

CYBERSECURITY BUILDING National Cybersecurity Center **Exponential Impact**



SCALE: 1/2" = 1'-0"


UCCS Wayfinding 18817

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918









UCCS CYBERSECURITY BUILDING - Building Ground Sign

Scale 1/8"'= 1' 0"

AA.6 - 01 Cybersecurity Center Small Building Multi-Tenant

SIGN FABRICATION
[see design intent drawings]






UCCS Wayfinding

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918









- 1 ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH RAL 8019 DOUBLE-SIDED
- 2 1" DECORATIVE ALUMINUM COMPONENT PAINT COLOR TO MATCH PMS 4525C
- 3 1/2" ALUMINUM "FIN" PAINT COLOR TO MATCH PMS 4525C
- 4 7" HEIGHT 1" ACRYLIC PUSH-THRU 'UCCS' LOGO. LOGO ON FACE TO BE MASKED AND PAINTED
- 5 3 1/4" CAP HEIGHT, TITLE CASE 1/2" ACRYLIC PUSH-THRU LETTERS FACE PAINTED TO MATCH PMS 4525C FACE AND EDGE ILLUMINATED
- * CABINET FACES TO BE REMOVABLE FOR POTENTIAL MESSAGE CHANGE
- * ALL HARDWARE TO BE COUNTERSUNK AND PAINTED TO MATCH

- INTERNALLY ILLUMINATED ACRYLIC/ PERFORATED ALUMINUM ACCENT -MILK WHITE ACRYLIC, BRIGHT WHITE LEDs
 - -1/2" ALUMINUM FRAME AND PERFORATED ALUMINUM PAINTED TO MATCH PMS 4525C -LIGHTS TO BE DIFFUSED APPROPRIATELY - SAMPLE TO BE REVIEWED BEFORE INSTALL
- ALUMINUM CABINET, INTERNALLY ILLUMINATED PAINT COLOR TO MATCH PMS 4525C DOUBLE-SIDED
- **8** 3/4" ALUMINUM RAILS (LANDSCAPE PROTECTION CLADDING) EVENLY SPACED, SPANNING ALL 4 SIDES POWDER COATED PAINT COLOR TO MATCH PMS 4525C TO BE ATTACHED TO SIGN FRAME ON EDGES

ADDITIONAL NOTES

- -All hardware and utilities to be concealed and integrated.
- -Typeface used is Helvetica Neue Bold. -Manufacturer's or other labels to be located on concealed surfaces, not visible from a pedestrian level.

UCCS **GROUND SIGNAGE**

SIGN CONTENT/MESSAGING

SINGLE-SIDED

CYBERSECURITY BUILDING < Suites 100-150

Suites 151-199 >





SCALE: 1/2" = 1'-0"

UCCS Wayfinding 18817

1420 Austin Bluffs Pkwy, Colorado Springs, CO 80918





