

Scheduling Data Extension Imports in Automation Studio

[1]



March 1, 2026 by [jennifer.mortensen](#) [2]

Many eComm users who send to data extensions might find themselves sending to the same audience on a regular basis, which generally means going through the time-consuming process of manually importing the data extensions to which you'll be sending. For example, the weekly CU Connections sent from the Office of the President is sent to nine data extensions every week. In this case (or even for less extreme examples), searching through your list of data extensions and checking boxes to manually import them takes time. The solution? Marketing Cloud's Automation Studio.

Running Data Extensions automatically might also be a good backup solution for a user not 'Start'ing Data Extensions as they should, resulting in CAN-SPAM violations [3].

Feb. 15, 2024 Session [4]

Passcode: v@Jcv7X*

March 12, 2024 Session [5]

Passcode: MpB?8&K*


What is Automation Studio?

Automation Studio is one of the tools available in Marketing Cloud, just like its companion tool, Email Studio. Automation studio allows you to automate processes and email sends that you complete on a regular basis to save time and let technology do the manual work for you.


Get in-depth details about Automation Studio [6].

How do I find Automation Studio?

If you're already a Marketing Cloud user, you're probably used to navigating to Email Studio on an almost daily basis. Automation Studio can be accessed in the same way. When you login to Marketing Cloud and land on the homepage, you'll see the familiar Email Studio icon on the left and a new icon called **Journey Builder** just to the right of center.




Hover over the **Journey Builder** icon, and then select **Automation Studio**.



How do I schedule a data extension to run automatically?

1. When Automation Studio opens, click the **New Automation** button in the upper right corner of the screen.



2. The next screen will ask you to identify a starting source for your automation from two options: **Schedule** or **File Drop**.

STARTING SOURCE



Start with a Starting Source

Drag a Starting Source here

[Learn More](#)

STARTING SOURCES



Schedule



File Drop

3. Click on the green **Schedule** option and drag it into the open circle.

STARTING SOURCE



Schedule



4. Next, locate the **Import File** icon in the **Activities** menu. Drag and drop it to the activity canvas.

ACTIVITIES



Data Extract



Data Factory
Utility



File Transfer



Filter



Fire Event



Import File



Refresh Group



Refresh Mobile
Filtered List



Report
Definition




SQL Query




Salesforce
Email Send



Script



5. To choose the data extension you want to schedule, click the **Choose** button in the **Import File** box.



6. In the **Choose Import File Activity** window, click on the data extension you want to schedule. You can also search for it using the search tool in the upper left corner. Once you've made a selection, ensure that you see the highlighted message, "**Overwrite Data Action Selected.**" This will ensure that your data extension is set to overwrite so it is always

populating with the most current data. When you are finished selecting your data extension, click **Done**.

More than one date extension? You'll only be able to select one data extension at a time. If you are hoping to schedule more than one data extension as part of a group, repeat steps 4-6 until you are finished.

The screenshot displays the 'Choose Import File Activity' window. On the left, there is a search bar labeled 'Search Import File' and a section titled 'IMPORT FILE' containing a button for 'All Import File'. The main area is a list of files with the following entries:

NAME
✓ 2019 CU v Wash PRI SUB Events
2019 CU v Wash UCB SUB Events
TEST Mortensen
Neguse Breakfast SYS SUB Events
Neguse Breakfast UCD SUB Events
Neguse Breakfast PRI SUB Events
08 UREL OG Mel Jones
08 UREL OG RSVP Halloween 2019
2019 CU vs Stanford UCB SUB Events
2019 CU vs Stanford PRI SUB Events
08 UREL OG 1800 Emps SUB Event
08 UREL OG Nestle

On the right, the 'Details' panel for the selected file shows the following information:

- Activity Info:**
 - Name: 2019 CU v Wash PRI SUB
 - External Key: 2019 CU v Wash PRI SUB
 - Email Notification: jennifer.mortensen@cu.e
 - Description: 2019 CU v Wash PRI SUB
- Destination:**
 - Data Extension: 2019 CU v Wash PRI SUB
- Import File:**
 - File Location: Salesforce Objects & Rep
 - File Naming Pattern: sfreport 00Of4000007du
 - Date Format: English (United States)

At the bottom left of the window, there is a 'Close' button.

7. To schedule your data extension to automatically import, click on **Configure** under the **Schedule Starting Source**.

STARTING SOURCE



Schedule

 [Configure](#)

8. Enter the parameters for your import schedule in the **Define Schedule** window. Click **Done** when you are finished.

Define Schedule

i After defining the schedule and then Saving the automation, it will be paused until you set the schedule toggle to Active. The automation can be manually run by clicking Run Once.

Start Date: 11/04/2019  at 8:00 AM

Time Zone: (GMT-07:00) Mountain Time (US & Canada) *

* Denotes this time zone honors daylight savings time

Repeat: Weekly every 1 week(s)

Sun Mon Tue Wed Thu Fri Sat

End: After 4 occurrence(s)

[Cancel](#)

9. Next, save your automation by clicking **Save** in the upper right corner. You can save in the "My Automations" folder, or you can (when you're ready) create a folder hierarchy to keep your automations organized.

The screenshot shows a "Save Automation" dialog box with the following fields and options:

- Name***: Jen Mortensen Sample Automation
- Description**: This is a sample automation for the eComm wiki.
- External Key**: Jen Mortensen Sample Automation
- Location**: A folder selection tree with the following structure:
 - my automations (expanded)
 - eComm
 - Journey Builder Automations
 - University Relations

Buttons: Cancel (left), Save (right)

10. Once your automation is saved, you'll notice that the schedule tab has an activity of **Paused**. Change the activity to **Active** to activate your automation. A confirmation window will appear to allow you to confirm that you want to activate the automation. Click **Activate**.

STARTING SOURCE

SCHEDULE



Edit

Active

✓ Paused

REPEAT:

Every 1 week

DAY(S) OF THE WEEK:

MO

STARTING:

11/04/2019 8:00 AM

ENDING:

after 4 times

TIME ZONE:

(GMT-07:00) Mountain
Time (US & Canada) *

The schedule is suspended
and must be activated for
scheduled runs to resume.

Skip Next Occurrence

STARTING SOURCE

SCHEDULE





Edit

✓ Active

Paused

REPEAT:
Every 1 week

DAY(S) OF THE WEEK:
MO

STARTING:
11/04/2019 8:00 AM

ENDING:
after 4 times

TIME ZONE:
(GMT-07:00) Mountain
Time (US & Canada) *

NEXT RUN:
11/04/2019 8:00 AM

Skip Next Occurrence

11. Click **Save** one more time to ensure that your active automation is saved.

How often should I schedule my automated Data Extension to run?

Based on the sends using these Data Extensions, determine your automatic or manual run date. For example:

- If the email is delivered every Thursday at 6 AM
 - *Automatically scheduled to run 11 PM Wednesday*
- If the email is delivered every Monday AND random/unknown frequently (numerous times each week)
 - *Automatically schedule for every day outside business hours*
- If the email is delivered every Monday AND random/unknown infrequently (a few times each month)
 - *Automatically schedule for every Sunday, and start manually when needed*
- If the email is delivered at random/unknown/inconsistent frequency
 - *Start automation manually when needed or determine that it may not be an*

efficient use of time to automate the data extension(s).

How will I know if my automation failed or ran successfully?

1. Click the **Activity** tab in your automation. You'll see a **Notification Settings** option on the left side of the screen. **Enter your email address** in one or both of the notification fields. Click **Save** when you are finished.

The screenshot displays the automation management interface. At the top, there are four tabs: 'Jen Mortensen Sample Automation', 'SUMMARY', 'WORKFLOW', and 'ACTIVITY'. The 'ACTIVITY' tab is currently selected. The 'SUMMARY' tab shows a green checkmark, the date '11/1/2019 1:26 PM', and the text 'LAST SAVED'. The 'WORKFLOW' tab shows a green checkmark, '1 ACTIVITY', and 'IN 1 STEP'. The 'ACTIVITY' tab shows 'NO ACTIVITY.'. Below the tabs, there is a 'Health' section with a circular progress indicator. The indicator shows 'Success Rate 0%' and '0 Completed', and 'Error Rate 0%' and '0 Failed'. Below the indicator, it says 'This automation has never run.'. To the right of the Health section is a 'Run Log' section with a 'View' dropdown menu set to '10/01/2019'. Below the Health section is a 'Notification Settings' section. It contains the text 'Enter email addresses to be notified upon the failure or success of the run. Separate multiple addresses with a comma.' There are two input fields for email addresses. The first is labeled 'Runtime Error or Skipped Run' and contains 'jennifer.mortensen@cu.edu'. Below it is a link 'Add note'. The second is labeled 'Run Completion' and also contains 'jennifer.mortensen@cu.edu'. Below it is another link 'Add note'.

Activate again before closing Since you made a change to an existing automation, the automation activity will reset to Paused. Be sure to return to the Workflow tab to activate the automation and save again before exiting.

What will the Activity tab look like once my automation is running?

Once your automation has run at least one time, the **Activity** tab will begin to populate with a

history of your automation's activity. An example is included below. You'll notice that the average run time of the automation is only 15 seconds - much faster than if you were importing the data extension manually.

The screenshot displays a dashboard for an automation named "Jen Mortensen Sample Automation". It is divided into several sections:

- Summary:** Shows a green checkmark, the date "11/1/2019 1:41 PM", and the text "LAST SAVED".
- Workflow:** Shows a green checkmark, "1 ACTIVITY", and "IN 1 STEP".
- Activity:** Shows "11/1/2019 1:59 PM" and "COMPLETED".
- Health:** A circular gauge shows a "Success Rate" of "100%" (1 Completed) and an "Error Rate" of "0%" (0 Failed). Below the gauge, it states "Average Run Time" is "15s" with a "Reset" button.
- Notification Settings:** A section with instructions: "Enter email addresses to be notified upon the failure or success of the run. Separate multiple addresses with a comma." It has two input fields, both containing "jennifer.mortensen@cu.edu", with "Add note" links below each.
- Run Log:** A sidebar on the right shows a "View" dropdown set to "10/01/2019" and a calendar icon. It lists a "Run Once - Complete" with "Started: 11/01/2019 1:59 PM" and "Completed: 11/01/2019 at 1:59 PM", accompanied by a green document icon.

Automate Data Extensions

Marketing Cloud senders are required to re-Start Data Extensions before each send to ensure the audience is up-to-date (and CAN-SPAM compliant). If an Automation is configured to run the Data Extensions automatically, manually re-starting the Data Extensions before each send becomes obsolete. eComm specialists can automate defined Data Extensions and help users understand the change of process.

Feb. 15, 2023 Session [4]

Passcode: v@Jcv7X*

Common Use Cases

- Frequent sends to the same data extensions
 - Numerous sends to the same data extensions
- Numerous Data Extensions in a single send (frequency irrelevant)
- User Failing to Re'Start Data Extensions and Violating CAN-SPAM (although makes access questionable)
- Cannot be used when:
 - sending to Reports
 - importing Data Extensions ^[7](for email personalization or dynamic content based on data not available in Salesforce).

Identify Good Candidates for Automation Studio

- 1. Find a communication that goes to the same audience (Data Extensions) regularly. Define all the Data Extensions.**
 - Are these Data Extensions used in other sends? Define all sends and their frequency then see 3 below.
- 2. Based on the sends using these Data Extensions, determine your automatic or manual run date. For example:**
 - If the email is delivered every Thursday at 6 AM
 - *Automatically scheduled to run 11 PM Wednesday*
 - If the email is delivered every Monday AND random/unknown frequently (numerous times each week)
 - *Automatically schedule for every day outside business hours*
 - If the email is delivered every Monday AND random/unknown infrequently (a few times each month)
 - *Automatically schedule for every Sunday, and start manually when needed*
 - If the email is delivered at random/unknown/inconsistent frequency
 - *Start automation manually when needed or determine that it may not be an efficient use of time to automate the data extension(s).*
- 3. Do other senders use these Data Extensions?**
 - If no, proceed.
 - If yes, communicate that they do not need to run these, but ONLY these Data Extensions. Email notifications will be disabled, therefore senders must confirm a recent successful 'run history' before sending.
 - If a user gets confused and fails to run any data extensions, we will likely have a CAN-SPAM violation. Only go this route if you trust the user will understand the different cases and follow the correct protocol.
 - If a user fails to re-run Data Extensions, you can automate all their Data Extensions to ensure CAN-SPAM is adhered to. However, it's worth considering if a user who cannot perform the basics should be licensed.
- 4. Are those Data Extensions configured to notify? If so delete notification email.**
 - This email will get notified when Automation runs.
- 5. Update description to include 'in Automation'.**

6. **Create Automation (instruction above) with a notification email to MEC (if troubleshooting is needed). Manually run to ensure success.**

Troubleshoot Failed Automation

An email notification can be sent every time the automation is skipped or run unsuccessfully. On occasion, an automation might fail due to one Data Extension failing which prevents the following Data Extensions in the automation from running. When an automation failure occurs, it's important to troubleshoot the failure and restart the automation until it is successful to ensure audience accuracy.

Troubleshooting

Unfortunately, sometimes automations fail at random points for no good reason. 99% of the time, simply running the automation once manually fixes the issue.

- Under the **Workflow** tab, **Pause** the schedule
- Select the blue **Run Once** button in the top right
- If it runs successfully, make sure to reactivate the schedule so it runs automatically again.
- If it does not run successfully, try to **Start** the Data Extensions under **Import**. This can help determine if one of the Data Extensions itself is not configured correctly. If you get an error:
 - Check whether the Salesforce Report still exists and is saved to the correct folder.
 - Check the Data Extension configuration under **Subscribers >> Salesforce Data Extensions**. Confirm the included columns are still present in the associated Report.



< Browse All Automations

+ eComm Users

SUMMARY

✓ 10/22/2025 10:49 AM
LAST SAVED

WORKFLOW

✓ 22 ACTIVITIES
IN 5 STEPS

STARTING SOURCES



Schedule



File Drop



Trigger

ACTIVITIES



Data Copy or Import



Data Extract



Data Factory Utility



File Transfer



Filter



Fire Event



Import Mobile Contacts



Refresh Group



Refresh Mobile Filtered List



STARTING SOURCE

SCHEDULE



Edit

Active

✓ Paused

REPEAT:

Every 1 day

STARTING:

10/23/2025 12:30 AM

ENDING:

Never

TIME ZONE:

(GMT-07:00) Mountain Time (US & Canada) *

The schedule is suspended and must be activated for scheduled runs to resume.

Skip Next Occurrence

Related Content

- [How can I organize my work between Email Studio and Automation Studio?](#) [8]
- [How do I schedule a Salesforce Send Email in Automation Studio?](#) [9]

Display Title:

Scheduling Data Extension Imports in Automation Studio

Send email when Published:

No

Source URL: <https://www.cu.edu/blog/ecomm-wiki/scheduling-data-extension-imports-automation-studio>

Links

[1] <https://www.cu.edu/blog/ecomm-wiki/scheduling-data-extension-imports-automation-studio>

[2] <https://www.cu.edu/blog/ecomm-wiki/author/13789> [3] <https://www.cu.edu/blog/ecomm-wiki/automatic-refresh-non-compliant-data-extensions>

[4] https://cusem.zoom.us/rec/share/Ncun7QJozJNottY9Ee_KYjdu6AH3Vw63G6gKNkNaTT8uG87yy9UhNR8SiJeQ2

[5] https://cusem.zoom.us/rec/share/EqRhWKFy0Q9UAuJkaHP5rbMs7s94sDjAmL_jCySeMnzyi0gHjwljvOr0M1dnwj

[6] <http://pages.mail.salesforce.com/gettingstarted/marketing-cloud/automation-and-journey-builder/>

[7] <https://www.cu.edu/blog/ecomm-wiki/import-file-data-extension> [8] <https://www.cu.edu/blog/ecomm-wiki/organizing-your-work-ongoing-automation-studio-sends> [9] <https://www.cu.edu/blog/ecomm-wiki/scheduling-salesforce-send-emails-automation-studio>